

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

APR 19 2004 4:51PM

MEDTRONIC LAW DEPT

NO. 0625 P. 3/9



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):)	Docket:	P-	.00
)			
Serial No.:)	Group Art:		
)			
Filed:)	Examiner:		
)			
Title:)			
)			

REQUEST FOR TWO-MONTH EXTENSION
OF TIME

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicant hereby requests a two-month extension of time to respond to the Notice of Missing Parts, from February 18, 2004 to April 18, 2004.

The Commissioner is hereby authorized to charge the extension fee of \$420.00, as well as any deficiencies, and credit any overpayments, to Deposit Account No. 13-2546.

Respectfully submitted,

PAUL B. AAMODT ET AL.

19 April '04
Date

Paul H. McDowall
Paul H. McDowall
Reg. No. 34,873
(763) 514-3351
Customer No. 27581

04/20/2004 FFANAEIA 00000135 132546 10661909

01 FC:1252 .420.00 DA